

-	638	(bur\$4 mark\$3 or fingerprint\$4 or embed\$4 or identification or identifier hid\$4 obscur\$4 obfuscate\$4 watermark\$4 mask\$3) same (pld fpga lpa lpd pda ic circuit) same watermark\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 16:47
-	379	(bur\$4 mark\$3 or fingerprint\$4 or embed\$4 or identification or identifier hid\$4 obscur\$4 obfuscate\$4 watermark\$4 mask\$3) same (pld fpga lpa lpd pda ic circuit) same watermark\$3 same (generat\$4 process\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 16:52
-	71	(bur\$4 mark\$3 or fingerprint\$4 or embed\$4 or identification or identifier hid\$4 obscur\$4 obfuscate\$4 watermark\$4 mask\$3) same (pld fpga lpa lpd pda ic circuit) same watermark\$3 same (generat\$4 process\$4) and (configur\$5 initializ\$3 initialization) same (pld fpga lpa lpd pda ic circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 16:53
-	69	(bur\$4 mark\$3 or fingerprint\$4 or embed\$4 or identification or identifier hid\$4 obscur\$4 obfuscate\$4 watermark\$4 mask\$3) same (pld fpga lpa lpd pda ic circuit) same watermark\$3 same (generat\$4 process\$4) and (configur\$5) same (pld fpga lpa lpd pda ic circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 18:21
-	3	("5542034"   "5838583"   "6074428").PN.	USPAT	2004/06/01 17:28
-	783542	(pld fpga lpa lpd pda circuit ) same (generat\$4 process\$4 apply\$4) same (watermark\$3 identifier identification identify\$3 mark tag signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 18:30
-	169868	(pld fpga lpa lpd pda circuit ) with (configuration or configur\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 18:29
-	87458	( (pld fpga lpa lpd pda circuit ) same (generat\$4 process\$4 apply\$4) same (watermark\$3 identifier identification identify\$3 mark tag signal)) and ( (pld fpga lpa lpd pda circuit ) with (configuration or configur\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 18:29
-	547893	(pld fpga lpa lpd pda circuit ) with (generat\$4 process\$4 apply\$4) with (watermark\$3 identifier identification identify\$3 mark tag signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 18:37
-	3006	(control\$4 protect\$4) with (program\$4 software ) with (configur\$5 initializ\$5 ) with (pld fpga lpa lpd pda circuit )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 18:34
-	1514	((control\$4 protect\$4) with (program\$4 software ) with (configur\$5 initializ\$5 ) with (pld fpga lpa lpd pda circuit )) and ( (pld fpga lpa lpd pda circuit ) with (generat\$4 process\$4 apply\$4) with (watermark\$3 identifier identification identify\$3 mark tag signal)) and ( (pld fpga lpa lpd pda circuit ) with (configuration or configur\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 18:33
-	3444327	((control\$4 protect\$4) with (program\$4 software application) with (configur\$5 initializ\$5 ) with (pld fpga lpa lpd pda circuit )) and (distribut\$4 apply\$4) same (watermark watermark\$3 identifier identification identify\$3 mark tag signal) same(embed\$4 bur\$4 hid\$4 obfuscate\$4) (region array zone location)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 18:40

-	135	((control\$4 protect\$4) with (program\$4 software application) with (configur\$5 initializ\$5 ) with (pld fpga lpa lpd pda circuit )) and (distribut\$4 apply\$4) with (watermark watermark\$3 identifier identification identify\$3 mark tag signal) with (region array zone location)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 18:45
-	15	((control\$4 protect\$4) with (program\$4 software application) with (configur\$5 initializ\$5 ) with (pld fpga lpa lpd pda circuit )) and (distribut\$4 apply\$4) same (watermark watermark\$3 identifier identification identify\$3 mark tag signal) same(embed\$4 bur\$4 hid\$4 obfuscat\$4) same (region array zone location)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 18:40
-	98	( (pld fpga lpa lpd pda circuit ) with (generat\$4 process\$4 apply\$4) with (watermark\$3 identifier identification identify\$3 mark tag signal)) and ((control\$4 protect\$4 copyright prohibit\$4 ) with (program\$4 software application) with (configur\$5 initializ\$5 ) with (pld fpga lpa lpd pda circuit )) and (distribut\$4 apply\$4) with (watermark watermark\$3 identifier identification identify\$3 mark tag signal) with (region array zone location)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 18:54
-	28	(pld fpga lpa lpd pda ) with watermark\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 19:13
-	4	("5222134" "5490216").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 19:14
-	0	epo795809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 19:14
-	0	epo-795809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 19:14
-	0	epo-79580\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/01 19:14
-	0	epo-795809\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 12:06
-	3	"5915017" and (decrypt\$4 with key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 12:24
-	5	"6421817"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 12:44

-	2	"6625794"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 12:47
-	6	"5970142"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 13:44
-	0	6366117.URPN.	USPAT	2004/06/02 12:49
-	8	("5081675"   "5321704"   "5388157"   "5705938"   "5914616"   "5970142"   "6118869"   "6212639").PN.	USPAT	2004/06/02 12:49
-	0	6356637.URPN.	USPAT	2004/06/02 13:03
-	12	("5349249"   "5388157"   "5406627"   "5426378"   "5768372"   "5970142"   "6052600"   "6118869"   "6150837"   "6151393"   "6151677"   "6175247").PN.	USPAT	2004/06/02 13:03
-	5399	(dispers\$4 scatter\$4 distribut\$4) with (element pattern) with (memory rom program\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 13:47
-	649	(dispers\$4 scatter\$4 distribut\$4) with (element pattern) with (memory rom program\$4) and (fpga pld pla pal eepld lca epld fpla pda (programmable with (logic or device)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 13:49
-	144	(dispers\$4 scatter\$4 distribut\$4) with (element pattern) with (memory rom program\$4) and ((fpga pld pla pal eepld lca epld fpla pda (programmable with (logic or device))) with (configuration configur\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 15:19
-	4	("6150863"   "6233205"   "6239611"   "6314539").PN.	USPAT	2004/06/02 14:27
-	11	("RE34363"   "5260610"   "5260611"   "5450360"   "5469003"   "5550782"   "5680363"   "5757207"   "5761099"   "5778439"   "5809257").PN.	USPAT	2004/06/02 14:46
-	300	((fpga pld pla pal eepld lca epld fpla pda (programmable with (logic or device))) with (generat\$4) with (watermark fingerprint bitstream mask\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 15:20
-	20	((fpga pld pla pal eepld lca epld fpla pda (programmable with (logic or device))) with (generat\$4) with (watermark fingerprint bitstream mask\$3)) and decrypt\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:28
-	5	("Re34363"   "5684980"   "5802290"   "5838167"   "6094063").PN.	USPAT	2004/06/02 16:20
-	4	("Re34363"   "5430687"   "5844829"   "6020757").PN.	USPAT	2004/06/02 16:22
-	65	((fpga pld pla pal eepld lca epld fpla pda (programmable with (logic or device))) with (generat\$4) with (watermark fingerprint bitstream mask\$3 key)) and decrypt\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:28
-	45	((fpga pld pla pal eepld lca epld fpla pda (programmable with (logic or device))) with (generat\$4) with (watermark fingerprint bitstream mask\$3 key)) and decrypt\$4) not ((fpga pld pla pal eepld lca epld fpla pda (programmable with (logic or device))) with (generat\$4) with (watermark fingerprint bitstream mask\$3)) and decrypt\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:29

-	10	(( ((fpga pld pla pal eepld lca epld fpla pda (programmable with (logic or device))) with (generat\$4) with (watermark fingerprint bitstream mask\$3 key)) and decrypt\$4) not ( ((fpga pld pla pal eepld lca epld fpla pda (programmable with (logic or device))) with (generat\$4) with (watermark fingerprint bitstream mask\$3)) and decrypt\$4)) and ( key with ("not" "no") with (stor\$4 memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:35
-	1	(( ((fpga pld pla pal eepld lca epld fpla pda (programmable with (logic or device))) with (generat\$4) with (watermark fingerprint bitstream mask\$3 key)) and decrypt\$4) not ( ((fpga pld pla pal eepld lca epld fpla pda (programmable with (logic or device))) with (generat\$4) with (watermark fingerprint bitstream mask\$3)) and decrypt\$4)) and ( ("not" "no") near2 (stor\$4 memory) with (requir\$4 need\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:36
-	8717	(( ("not" "no") near2 (stor\$4 memory) with (requir\$4 need\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:37
-	22	(( (key) near2 ("not" "no") near2 (stor\$4 memory sav\$4) with (requir\$4 need\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:46
-	18	(( (key) near2 ("not" "no" without) near2 (stor\$4 memory sav\$4) with (requir\$4 need\$4)) and (key ) same (power-on power-up power\$4 reset\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:53
-	238	((generat\$4 ) with (key ) with delay with circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:55
-	238	((generat\$4 ) with (key ) with delay with (transistor circuit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:56
-	18	((generat\$4 ) with (key ) with delay with (transistor circuit)) and (voltage with (differen\$3 fluctuat\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 16:59
-	334	((generat\$4 ) with (key fingerprint bit) with delay with (transistor circuit)) and (voltage with (differen\$3 fluctuat\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 17:02
-	18	((generat\$4 ) with (key fingerprint ) with delay with (transistor circuit)) and (voltage with (differen\$3 fluctuat\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 17:00
-	0	((generat\$4 ) with (key fingerprint bit) with delay with (transistor circuit)) and (voltage with (differen\$3 fluctuat\$3)) and encrypt\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 17:02
-	0	(( (key fingerprint bit) with delay with (transistor circuit)) and (voltage with (differen\$3 fluctuat\$3)) and encrypt\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 17:02

-	9	( (key fingerprint bit) with (delay time) with (transistor circuit)) and (voltage with (differen\$3 fluctuat\$3)) and encrypt\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 17:14
-	0	( (generat\$4) same (key fingerprint bit data) same (delay time) with (transistor circuit)) and (voltage with (differen\$3 fluctuat\$3)) and encrypt\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 17:15
-	9	( (generat\$4) same (key fingerprint bit data) same (delay time) same (transistor circuit)) and (voltage with (differen\$3 fluctuat\$3)) and encrypt\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 17:16
-	10	( (generat\$4) same (key fingerprint bit data) same (delay time) ) and (voltage with (differen\$3 fluctuat\$3)) and encrypt\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 17:17
-	10	( (generat\$4) same (key fingerprint bit data) same (delay time) ) and (voltage with (differen\$3 fluctuat\$3)) and encrypt\$4 and (count\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 18:44
-	6	("3798605"   "4128874"   "4956769"   "5018096"   "5065429"   "5469564").PN.	USPAT	2004/06/02 18:53
-	8019	((apply\$4 or generat\$4 or input\$4 or distribut\$4 or insert\$4 ) near2 (hidden or watermark\$3 or fingerprint\$4 or embed\$3 or id or identification or bit)) with (application or software or program\$4 configur\$5) and @ad<19990830	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 19:01
-	743	((apply\$4 or generat\$4 or input\$4 or distribut\$4 or insert\$4 ) near2 (hidden or watermark\$3 or fingerprint\$4 or embed\$3 or id or identification or bit identifier tag\$4)) with (application or software or program\$4 configur\$5) and (configuration configur\$3 programming program ) with (fpga pld pla pal eepld lca epld fpla pda (programmable with (logic or device))) and @ad<19990830	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 19:04
-	504	((apply\$4 or generat\$4 or input\$4 or distribut\$4 or insert\$4 ) near2 (hidden or watermark\$3 or fingerprint\$4 or embed\$3 or id or identification or bit identifier tag\$4)) with (application or software or program\$4 configur\$5) and (configuration configur\$3 programming program ) with (fpga pld pla pal eepld lca epld fpla pda (programmable with (logic or device))) same (watermark bit signal embed\$3 hidden hid\$3) and @ad<19990830	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 19:10
-	0	((apply\$4 or generat\$4 or input\$4 or distribut\$4 or insert\$4 ) near2 (hidden or watermark\$3 or fingerprint\$4 or embed\$3 or id or identification or bit identifier tag\$4)) with (application or software or program\$4 configur\$5) and (configuration configur\$3 programming program ) with (fpga pld pla pal eepld lca epld fpla pda (programmable with (logic or device))) same (watermark bit signal embed\$3 hidden hid\$3) and (embed\$4 with watermark) and @ad<19990830	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 19:10

-	22	((apply\$4 or generat\$4 or input\$4 or distribut\$4 or insert\$4 ) near2 (hidden or watermark\$3 or fingerprint\$4 or embed\$3 or id or identification or bit identifier tag\$4)) with (application or software or program\$4 configur\$5) and (configuration configur\$3 programming program ) with (fpga pld pla pal eepld lca epld fpla pda (programmable with (logic or device))) same (watermark bit signal embed\$3 hidden hid\$3) and (embed\$4 with (watermark signal bit)) and @ad<19990830	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 11:11
-	91	"4821233"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 11:17
-	1	"4821233" and (determin\$4 find\$4 check\$4 verify\$4) with transistor with ((turn\$4 near on) (power\$4 near (up on)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 12:17
-	8891	(determin\$4 find\$4 check\$4 verify\$4) with (file document ) with (size larg\$3 small\$3 big\$3 bit byte)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 12:19
-	10724	(determin\$4 find\$4 check\$4 verify\$4 compar\$3) with (file document ) with (size larg\$3 small\$3 big\$3 bit byte)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 12:19
-	549	((determin\$4 find\$4 check\$4 verify\$4 compar\$3) with (file document ) with (size larg\$3 small\$3 big\$3 bit byte)) same key	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 12:19